



OFFICE OF THE SECRETARY OF DEFENSE  
COST ASSESSMENT AND PROGRAM EVALUATION

**CLEARED**  
**For Open Publication**

Aug 08, 2022

Department of Defense  
OFFICE OF PREPUBLICATION AND SECURITY REVIEW

# Cerberus Training Dataset

2022 Joint IT and Software Cost Forum

**SLIDES ONLY**

**NO SCRIPT PROVIDED**

Daniel Germony, MCEA, CCEA  
Operations Research Analyst  
OSD CAPE  
Land & Naval Warfare Cost Analysis Division (LNWCAD)

Adam James, GStat  
SME, Data Analytics  
Technomics, Inc.

The overall classification of this briefing is:  
**UNCLASSIFIED**

# Purpose / Agenda

OSD CAPE

## Purpose:

- Bring awareness of the Cerberus Training Dataset to the cost estimating community.
- Encourage cost estimators to utilize the Cerberus Training Dataset in their training, papers, when demoing and developing cost estimating and analysis tools and techniques.

## Agenda:

- The motivation behind the Cerberus Training Dataset
- Introduction to the “Cerberus Autonomous Vehicle Program”
- Files contained in “Cerberus Training Dataset v1.0”
- Samples of “Cerberus Training Dataset v1.0”
- How the Cerberus Training Dataset was created
- Where to find/download the dataset
- Call to Action: “We built this and think you should use it!”

# Motivation To Create The Cerberus Training Dataset

OSD CAPE

- Cost estimating and analysis regularly involves the use of proprietary or sensitive data.
  - Estimators often cannot share their results or provide meaningful examples of techniques or methods since doing so may disclose sensitive data to unauthorized personnel.
  - Replacing real data with fake data/noise might enable sharing but may remove the interesting finding that was meant to be shared.
- Historically, non-proprietary sample datasets have been smaller and less complex than what will be encountered in the real world.
  - “Small and simple” is a feature early in a training program but limits overall learning opportunities.
  - Sample datasets rarely, if ever, include multiple submissions over time or include multiple related files which can (or should) be cross-referenced against each other.
- Data science practitioners often share examples of their code or tools on well known datasets which have become ubiquitous in these communities.
  - When the underlying data is well known, it becomes easier to understand, train, or feature an interesting aspect of a new tool or technique.

```
> iris %>% tibble()
# A tibble: 150 x 5
  Sepal.Length Sepal.Width Petal.Length Petal.Width Species
  <dbl>         <dbl>         <dbl>         <dbl> <Fct>
1         5.1         3.5           1.4           0.2 setosa
2         4.9         3             1.4           0.2 setosa
3         4.7         3.2           1.3           0.2 setosa
4         4.6         3.1           1.5           0.2 setosa
5         5           3.6           1.4           0.2 setosa
6         5.4         3.9           1.7           0.4 setosa
7         4.6         3.4           1.4           0.3 setosa
8         5           3.4           1.5           0.2 setosa
9         4.4         2.9           1.4           0.2 setosa
10        4.9         3.1           1.5           0.1 setosa
# ... with 140 more rows
```

```
> mtcars %>% tibble()
# A tibble: 32 x 11
  mpg   cyl  disp    hp  drat    wt   qsec    vs  am  gear  carb
  <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
1    21     6   160   110  3.9   2.62  16.5     0     1     4     4
2    21     6   160   110  3.9   2.88  17.0     0     1     4     4
3   22.8    4   108    93  3.85   2.32  18.6     1     1     4     1
4   21.4    6   258   110  3.08   3.22  19.4     1     0     3     1
5   18.7    8   360   175  3.15   3.44  17.0     0     0     3     2
6   18.1    6   225   105  2.76   3.46  20.2     1     0     3     1
7   14.3    8   360   245  3.21   3.57  15.8     0     0     3     4
8   24.4    4   147.    62  3.69   3.19  20       1     0     4     2
9   22.8    4   141.    95  3.92   3.15  22.9     1     0     4     2
10   19.2    6   168.   123  3.92   3.44  18.3     1     0     4     4
# ... with 22 more rows
```

**Overall Goal: Create an equivalent to the iris or mtcars datasets for the cost estimating and analysis community.**

# Cerberus Program Overview

OSD CAPE

## Fictional Program Information

- Service/Commodity: *Army Ground Vehicle Program*
- Acquisition Pathway: *Major Capability Acquisition (ACAT-I)*
- Program Timeframe:
  - *Engineering and Manufacturing Development (EMD)*
  - *Low Rate Initial Production (LRIP)*
- Contract Overview:
  - *Single Award FAR 15 Indefinite Delivery / Indefinite Quantity (IDIQ)*
  - *Firm Fixed Price (FFP) design and production CLINs*
  - *Cost Plus Fixed Fee (CPFF) Total Package Fielding and Contractor Logistics Support CLINs*

## Realistic Narrative

- Deliverables show cost growth between “Initial” and “Final” submissions. Cost growth can clearly be attributed to software development “issues discovered during program testing”.

## Inspiration Board



## Analogous Real Systems

Robotic Combat Vehicle – Medium

*Size, Tracked, Autonomous*

Joint Light Tactical Vehicle

*Family of Vehicles, Appliqué Kits*

Optionally Manned Fighting Vehicle

*Multiple Main Armaments*

# Cerberus Program Overview (cont.)

OSD CAPE

## Why “Cerberus”?

- From Greek Mythology: Cerberus is Hades’ three-headed guard dog of the underworld



- The Cerberus Autonomous Vehicle has three armaments
  - 30mm turret (provided as Government Furnished Equipment)
  - 50 cal Remote Weapon Station (RWS)
  - Anti-tank, fire-and-forget rocket (e.g., Javelin) mounted to RWS

## Cerberus Computer Software Configuration Items (CSCIs)

CSCI ID	CSCI Nomenclature
C1	Sensor Processing
C2	Autonomous Navigation
C3	Vehicle Control
C4	Vehicle Simulator

## Cerberus Prime Mission

### Product WBS

WBS Code	WBS Nomenclature
1.0	Cerberus Autonomous Vehicles
1.1	Family of Cerberus Autonomous Vehicle
1.1.1	Cerberus Autonomous Vehicle (CAV)
1.1.1.1	CAV Integration, Assembly, Test, and Checkout
1.1.1.2	Hull/Frame/Body/Cab
1.1.1.3	System Survivability
1.1.1.4	Turret Assembly
1.1.1.5	Suspension/Steering
1.1.1.6	Vehicle Electronics
1.1.1.7	Power Package/Drive Train
1.1.1.7.1	Power Package
1.1.1.7.1.1	Dressed Engine
1.1.1.7.1.1.1	Engine Block
1.1.1.7.1.1.2	Turbocharger
1.1.1.7.1.1.3	Other Dressed Engine
1.1.1.7.1.2	Transmission
1.1.1.7.2	Drive Train
1.1.1.8	Auxiliary Automotive
1.1.1.9	Fire Control
1.1.1.10	Armament
1.1.1.10.1	30mm Gun
1.1.1.10.2	Remote Weapon Station (RWS)
1.1.1.10.2.1	M2 50-cal / Mk19 Mount
1.1.1.10.2.2	Anti-Tank Missile
1.1.1.10.2.3	Other Remote Weapon Station (RWS)
1.1.1.10.3	Other Armament
1.1.1.11	Automatic Ammunition Handling
1.1.1.12	Navigation and Remote Piloting Systems
1.1.1.13	Special Equipment
1.1.1.14	Communications
1.1.1.15	CAV Software Release
1.1.1.15.1	Sensor Processing
1.1.1.15.2	Autonomous Navigation
1.1.1.15.3	Vehicle Control
1.1.1.16	Other CAV Subsystems

# Cerberus Training Dataset Content

OSD CAPE

## Cerberus Training Dataset

### CSDR Plan

DD Form 2794

- Attachment 04 - CSDR Plan (Z-99-C1(R2)).xls
- Cerberus\_FlexFile\_CSDR\_Plan.cplan.xml

Overarching Reporting Requirements

Available Within FACADE

### Cost and Hour Report (FlexFile)

- Contract Award\_flexfile.zip
- Annual Submission 2016\_flexfile.zip
- Annual Submission 2016 rev 1\_flexfile.zip
- EMD Phase Complete\_flexfile.zip
- Annual Submission 2018\_flexfile.zip
- Annual Submission 2019\_flexfile.zip
- Contract Complete\_flexfile.zip

Actual Cost Data & Forecast at Complete Estimates

### Quantity Data Report (QDR)

- Contract Award\_quantity.zip
- Annual Submission 2016\_quantity.zip
- Annual Submission 2016 rev 1\_quantity.zip
- EMD Phase Complete\_quantity.zip
- Annual Submission 2018\_quantity.zip
- Annual Submission 2019\_quantity.zip
- Contract Complete\_quantity.zip

System and Subsystem Quantities Delivered & In-Process

### Software Development Report

DD Form 3026-1

- Cerberus SRDR DEV\_(Contract Award).srdr\_dev.xml
- Cerberus SRDR DEV\_(Contract Award).xlsx
- Cerberus SRDR DEV\_(Annual Submission 2016).srdr\_dev.xml
- Cerberus SRDR DEV\_(Annual Submission 2016).xls
- Cerberus SRDR DEV\_(Contract Complete).srdr\_dev.xml
- Cerberus SRDR DEV\_(Contract Complete).xlsx

Detailed Breakdown of Software Costs & Metrics (e.g., SLOC)

### Technical Data Report

- 2 - Cerberus TDR Initial\_Contract Award.xlsx
- 5 - Cerberus TDR Interim\_Annual Submission 2016.xlsx
- 8 - Cerberus TDR Interim\_EMD Phase Complete.xlsx
- 11 - Cerberus TDR Interim\_Annual Submission 2018.xlsx
- 15 - Cerberus TDR Interim\_Annual Submission 2019.xlsx
- 19 - Cerberus TDR Final\_Contract Complete.xlsx

Planned & Actual System Performance Metrics

### Maintenance and Repair Parts Data Report

- Cerberus\_M&R\_Report\_(Contract Complete).xlsx

Contractor Performed Vehicle Maintenance

### Contractor Business Data Report

DD Form 1921-3

- Cerberus\_1921-3\_CBDR\_2017.xlsx
- Cerberus\_1921-3\_CBDR\_2019.xlsx

Labor & Overhead Rates Date

### Selected Acquisition Report (SAR)

- CERBERUS ACE Build final.acex

Program Office Estimate Summary To Congress

### Resource Distribution Table (RDT)

- Program Resource Distribution Table
- Contract Resource Distribution Table

Anticipated Expenditure by Contract, Subcontractor, etc.

*To Be Added When DID is Finalized*

## Supporting Files

Available Within DTM-Hub

### {cerberus} R Package

- cerberus\_1.0.0.zip
- static\_inputs-cerberus.xlsx
- dynamic\_inputs-cerberus.xlsx
- replacement\_inputs-2\_0-cerberus.xlsx
- getting-started.Rmd
- reviewing-data.Rmd

R Code Used to Generate Some Cerberus Files

### Cerberus Program Narrative

- Cerberus Narrative Bullets.docx

Notes on Cerberus Program and Deliverables

### Cost Planning & Execution Tool (cPET)

- <http://portal.tecolote.com/dcarc/cPetRequest.aspx>

Software Tool To Convert JSON CSDR to Excel

### Cerberus Scope of Work & CDRLs

- 2022-01-31\_Cerberus\_CSDR\_SoW.docx
- 2022-01-31\_CAV\_Qty\_CDRL.docx
- 2022-01-31\_CAV\_MR\_CDRL.docx
- 2022-01-31\_CAV\_TDR\_CDRL.docx
- 2022-01-31\_CAV\_SDR\_CDRL.docx
- 2022-01-31\_CAV\_RDT\_CDRL.docx
- 2022-01-31\_CAV\_FF\_CDRL.docx
- 2022-01-31\_CAV\_CBDR\_CDRL.docx


Example Contract Language

# Sample Results: Time-Phased Total Contract Cost

OSD CAPE

**Cerberus deliverables contain realistic time-phasing of costs and hours based on SME experience in this commodity.**


Cerberus Total Contract Cost via Final Submission Event // WBS 1.0 - Cerberus Autonomous Vehicles



# Sample Results: Cerberus Common WBS Elements Costs

OSD CAPE

Time-phasing and distribution of costs are extended to Common WBS elements as well.






# Sample Results: Labor Rates by Functional Category

OSD CAPE

Multiple labor and overhead rates are utilized and are consistent between FlexFile and DD Form 1921-3 submissions.


Engineering

Engineering




Maintenance

Maintenance




Manufacturing

Manufacturing



Other

Other




# Sample Results: End Item Cost Phasing

OSD CAPE


## Each Cerberus End Item...

- Follows a realistic learning curve based on SME experience in this commodity.
- Shows signs of an EMD to LRIP step-down.
- Includes random noise between units for additional realism.
- Follows a simulated production schedule based on an overall production hours capacity.



# Data Generation Methodology: Overview

OSD CAPE




1. Specify program in Excel templates
2. Import configuration tables from Excel into R
3. Randomize stochastic inputs based on specifications
4. Generate a flat data table
5. Break flat table into submission events
6. Map submission events into FlexFile and Quantity Data Report data object models

**Nothing specific to Cerberus is coded into R. Everything is controlled in the configuration tables! (You can specify an entirely new program/commodity)**

# Data Generation Methodology: Primary Model Components

OSD CAPE

Inputs are contained in an Excel configuration file. Changes are made to dataset by updating and re-running the simulation.



# Cost Definition Option Examples


OSD CAPE

## 1. An amount specified by and drawn from a probability distribution:

- \$2,000,000 for 1.1.1 Surface Vehicle, specified as  $\sim \text{Norm}(\mu = 2000000, \text{sd} = 100000)$
- \$100,000 for a support element, specified as  $\sim \text{Uniform}(a = 100000, b = 100000)$

## 2. An amount allocated from a parent WBS from a Dirichlet distribution:

- The 1.1.1 Surface Vehicle costs allocated down to its 1.1.1.X hardware subsystems
- Generally anything that is easier specified from a higher level and allocated down to children



## 3. An amount derived as a factor off a base

- Project Management costs as 10% of the recurring 1.1.1 Surface Vehicle cost, specified as  $\sim \text{Uniform}(a = 0.08, b = 0.12)$
- Any other support factor specified as a percentage of a base

\* The Dirichlet distribution is essentially a multivariate beta distribution where the resulting sample vectors *always sum to 1*. This makes it convenient to draw from when applying allocations.

# Example Input Sheet: Learning

OSD CAPE

end_item	slope	rate	n_steady	cv
2_GPV	0.97	1	1000	0.025
3_RV	0.97	1	1000	0.025
4_SSV	0.97	1	1000	0.025
5_cbk	0.99	1	1000	0.025
6_cjak	0.99	1	1000	0.025
7_wk	1	1	1000	0.025



```
> cerberus::cerberus$learning
# A tibble: 6 x 5
  end_item slope rate n_steady cv
  <chr>     <dbl> <dbl>   <dbl> <dbl>
1 2_GPV     0.97     1     1000 0.025
2 3_RV     0.97     1     1000 0.025
3 4_SSV     0.97     1     1000 0.025
4 5_cbk     0.99     1     1000 0.025
5 6_cjak    0.99     1     1000 0.025
6 7_wk      1         1     1000 0.025
```

Change the learning slope of the vehicle EndItems (2\_GPV, 3\_RV, and 4\_SSV) to 90%

Edit the Excel sheet and  
reload into R...

Or modify the table  
directly in R

```
new_cerberus <- load_config_data("new-data.xlsx")
```

```
new_cerberus <- cerberus::cerberus
new_cerberus$learning$slope[1:3] <- 0.9
```


Inputs can easily be adjusted to generate a variety of data behaviors

# How To Access the Cerberus Training Dataset


OSD CAPE

The Cerberus Training Dataset is hosted within FACADE (“Fake CADE”), the training site for the “Cost Assessment Data Enterprise”.


1. Navigate to <https://cade.osd.mil/>
2. Click the “FACADE” button in the top-right corner.



3. Login or signup.



4. For CSDR Plan, Contract Scope, CDRLs: Click “CSDR-SR” then “My CSDR”, then “Program Planning”, then “Search”, and Type “Cerberus” into the “Program Name” field, click “Search Programs”, click “Cerberus”, click “Z-99-C1(R)”, scroll down to “Documents”, click an icon under “File” to download the given file.



# How To Access the Cerberus Training Dataset (cont.)

OSD CAPE

5. For deliverables (e.g., FlexFile, QDR, SRDR), from “Portal Home”, click “Data & Analytics”, click “CSDR Browse”, type “Cerberus” into the “Program Field”, submissions will be listed and can be clicked on individually or downloaded in bulk using the various download or export buttons.

**Search for CSDR**

Browse CSDR submissions with enhanced searching down to the WBS. Download 1921 / FF / SRDR files and export CDDR data.

Program: Cerberus

**CSDR Browse**

Keywords: Cerberus

Service: [ ]

Include Legacy Submissions:  Include WBS Elements:

Commodity (Program): [ ] Weapon System Type (Program): [ ] Phase: [ ] Published: [ ] thru [ ]

Prime/Sub: [ ] Reporting Contractor: [ ] Report Type Category: [ ] As of: [ ] thru [ ]

(More) [ ]

Submissions (16) | CDDR Reports (18) | SRDR Data

Program	Model	Contract Task	Weapon Sys Type (Contract Task)	Order/Lot	As Of	Contract Number	Pri/Sub	Reporting Contractor	Submission Event	Report Type	Report Cycle	# Rpts	# Files
<input checked="" type="checkbox"/>	Cerberus	Cerberus EMD, LRIP 1-2			4/1/2015	Z123D4-15-D-7890	Prime	Con-tractor, LLC	Contract Award	1921-FF, 1921-Q	Initial	3	3
<input checked="" type="checkbox"/>	Cerberus	Cerberus EMD, LRIP 1-2			4/1/2015	Z123D4-15-D-7890	Prime	Con-tractor, LLC	Contract Award	SRDR Dev		0	3
<input checked="" type="checkbox"/>	Cerberus	Cerberus EMD, LRIP 1-2			4/30/2016	Z123D4-15-D-7890	Prime	Con-tractor, LLC	Annual Submission 2016	SRDR Dev		0	2
<input checked="" type="checkbox"/>	Cerberus	Cerberus EMD, LRIP 1-2			9/30/2019	Z123D4-15-D-7890	Prime	Con-tractor, LLC	Contract Complete	SRDR Dev		0	2
<input checked="" type="checkbox"/>	Cerberus	Cerberus EMD, LRIP 1-2			9/30/2019	Z123D4-15-D-7890	Prime	Con-tractor, LLC	Contract Complete	Maintenance Repair		0	1

Rows per page: 10

Download Files | Export Metadata



# How To Access the Cerberus Training Dataset (cont.)

OSD CAPE

6. For SAR data, from “Portal Home”, click “SAR Database”, either search for “Cerberus” or find and click it under “Surface Vehicle”.

The screenshot displays the CAPE Portal Home interface. On the left is a navigation sidebar with sections: Portal Home, Applications, Analyst (highlighted with a red dashed box), Submit & Review, External Sites, and Other. Under the Analyst section, 'Data & Analytics' is highlighted with a red dashed box. A blue arrow points from this menu item to the main content area. The main content area is titled 'View SAR Data' and contains a search bar with 'Cerberus' entered and a 'GO' button. Below the search bar are three radio button options: 'Group by Commodity' (selected), 'Group by Service', and 'Show All'. To the right of the search bar is a list of categories with counts, where 'SURFACE VEHICLE (12)' is highlighted with a red dashed box. The list includes: AIRCRAFT (62), ELECTRONIC/AUTOMATED SOFTWARE (45), MISSILE (81), OTHER (1), SHIP (29), SPACE (8), SPACE, MISSILES, MUNITIONS (3), SURFACE VEHICLE (12), SYSTEM OF SYSTEMS (2), and UAV (2).

**View SAR Data**

This database contains legacy acquisition data as well as current SAR submissions, updated monthly from DAMIR (latest: 1/1/01). To view SAR data, select a program from the list.

Search: Cerberus [GO] Clear

Group by Commodity  
 Group by Service  
 Show All

- ▶ AIRCRAFT (62)
- ▶ ELECTRONIC/AUTOMATED SOFTWARE (45)
- ▶ MISSILE (81)
- ▶ OTHER (1)
- ▶ SHIP (29)
- ▶ SPACE (8)
- ▶ SPACE, MISSILES, MUNITIONS (3)
- ▶ SURFACE VEHICLE (12)
- ▶ SYSTEM OF SYSTEMS (2)
- ▶ UAV (2)

# Path Forward / Call To Action

OSD CAPE

CADE Training Team is in the process of updating various OSD CAPE offered classes to utilize the Cerberus Training Dataset.

## Cerberus Training Dataset Updates

- **v1.1 (in process)**
  - Includes “Percent Allocation Methods” to FlexFile
  - Includes/adds “Program Resource Distribution Table” and “Contractor Resource Distribution Table” files
- **Backlog**
  - Add Excel version of FlexFile and QDR’s to FACADE
  - Create and include a Subcontractor CSDR Plan
  - Create and include a Subcontractor CSDR deliverable submission(s)
  - Add additional details to WBS Dictionary
  - Create and include a SRDR-MX deliverable submission(s)

## Beyond “Cerberus Autonomous Vehicle”

- Add additional commodities & programs
- Include/induce:
  - Loss Learning
  - Production Breaks
  - Metadata drift
  - Missing data (waiver, enforcement issue)
  - Block Upgrades / Overhaul
  - Antecedent vs. Successor Comparison

Send feature requests or bug notices on Cerberus Training Dataset here: [caedesupport@tecolote.com](mailto:caedesupport@tecolote.com)

### Recommend the community utilize the Cerberus Training Dataset to...

- Develop training
- Practice using FlexFile’s & see relationships between deliverables
- Demo your own models and techniques
- Develop and practice using tools, visuals, plots, etc.

# Acknowledgements

OSD CAPE

## Cerberus CSDR Training Data Development Team

- *Contractor*
  - Zach Cole, Core Contributor
  - Caitlyn Pabst, Core Contributor
  - Peter Braxton, Technical SME
  - Adam James, Technical SME
  - Marc Stephenson, FlexFile SME
  - Peter Shmorhun, SAR Database SME
  - Grant Bray, Technical Data SME
  - Torri Preston, CADE Leadership (Training Team)
  - Crystal Rudloff, SRDR SME and CADE Leadership (Technomics)
  - John McGahan, CADE Technical Director
- *Government*
  - Daniel Germony, Lead
  - Jenna Meyers, SRDR SME honorable mention
  - Matthew Stahr, SRDR SME honorable mention

## Photos Used in this Briefing:

- Kevin C Mcdevitt
- Lance Cpl. Ujian Gosun
- Markus Rauchenberger
- The Metropolitan Museum of Art (Antonio Tempesta (1555–1630))

## Nonstandard R Packages

- `{readflexfile}` Benjamin Berkman, Justin Cooper, Adam James (2020). Copyright 2020 Technomics, Inc.

## Datasets

- `mtcars`: 1974 *Motor Trend US* magazine
- `iris`: Fisher, R. A. (1936) “The use of multiple measurements in taxonomic problems.” *Annals of Eugenics*, 7, Part II, 179–188

# Backup

# Cerberus CSDR Plan

## Cerberus Submission Events

14. CSDR SUBMISSION EVENTS			
a. EVENT ID	b. DATA REPORT(S)	c. SUBMISSION EVENT NAME	d. REPORT CYCLE
1	Cost and Hour Report (FlexFile), Quantity Data Report	Contract Award	Initial
2	Technical Data Report	Contract Award	Initial
3	SRDR Development	Contract Award	Initial
4	Cost and Hour Report (FlexFile), Quantity Data Report	Annual Submission 1	Interim
5	Technical Data Report	Annual Submission 1	Interim
6	SRDR Development	Annual Submission 1	Interim
7	SRDR Development	EMD Phase Complete	Interim
8	Cost and Hour Report (FlexFile), Quantity Data Report	EMD Phase Complete	Interim
9	Technical Data Report	EMD Phase Complete	Interim
10	Cost and Hour Report (FlexFile), Quantity Data Report	Annual Submission 2	Interim
11	Technical Data Report	Annual Submission 2	Interim
12	SRDR Development	Annual Submission 2	Interim
13	Maintenance and Repair Parts Data Report	Annual Submission 2	Interim
14	Cost and Hour Report (FlexFile), Quantity Data Report	Annual Submission 3 / Contract Complete	Final
15	Technical Data Report	Annual Submission 3 / Contract Complete	Final
16	SRDR Development	Annual Submission 3 / Contract Complete	Final
17	Maintenance and Repair Parts Data Report	Annual Submission 3 / Contract Complete	Final

## Cerberus Tech Data Requirements


26. WBS ELEMENT CODE	27. WBS ELEMENT NAME	28. ITEM TYPE	29. PARAMETER INFORMATION			
			a. PARAMETER NAME	b. UNIT OF MEASURE	c. UNIT OF MEASURE QUALIFIER	d. REPEAT TABLE
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Length	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Width	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Height	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Gross Vehicle Weight	Pounds	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Curb Weight	Pounds	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Top Speed	Miles per Hour (mph)		
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Vehicle Cone Index	Descriptor	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Fuel Capacity	Gallons	Per Fuel Tank	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Fuel Economy	Miles per Gallon		
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Cruise Range	Miles	Per Vehicle/Fuel Tank	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Crew	Descriptor	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Passengers	Descriptor	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Ground Clearance	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Fording Depth	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Gap Crossing	Inches	Per Vehicle	
1.1.1	Cerberus Autonomous Vehicle (CAV)	SurfaceVehicle	Payload Capacity	Pounds	Per Vehicle	
1.1.1.1	CAV Variant Integration, Assembly, Test,	IA&T	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Volume	Cubic Inches	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Weight	Pounds	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Length	Inches	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Width	Inches	Per Vehicle	
1.1.1.2	Hull/Frame/Body/Cab	PhysicalStruc	Depth	Inches	Per Vehicle	
1.1.1.3	System Survivability	Survivability	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.3	System Survivability	Survivability	Integral Armor Weight	Pounds	Per Vehicle	
1.1.1.3	System Survivability	Survivability	Add-on Armor Weight	Pounds	Per Vehicle	
1.1.1.4	Turret Assembly	PhysicalStruc	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.5	Suspension/Steering	Suspension	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.5	Suspension/Steering	Suspension	Tracked	List		
1.1.1.5	Suspension/Steering	Suspension	Track Segments	Quantity	Per Suspension System	
1.1.1.5	Suspension/Steering	Suspension	Track Width	Inches	Per Suspension System	
1.1.1.5	Suspension/Steering	Suspension	Number of Torsion Bars	Quantity	Per Vehicle	
1.1.1.5	Suspension/Steering	Suspension	Number of Dampers	Quantity	Per Suspension System	
1.1.1.5	Suspension/Steering	Suspension	Number of Track Roller Wheels	Quantity	Per Suspension System	
1.1.1.6	Vehicle Electronics	ElectronicsSystems	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Gross Horsepower	Horsepower	Per Engine	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Displacement	Cubic Inches	Per Engine	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Maximum Torque	Foot Pounds	Per Engine	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Net Horsepower	Horsepower	Per Engine	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Max Speed RPM	Revolutions per Minute	Per Engine	
1.1.1.7	Power Package/Drive Train	SurfacePropulsion	Total power generation capacity	Kilowatts per Hour	Per Vehicle	
1.1.1.8	Auxiliary Automotive	Other	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.9	Fire Control	PhysicalOther	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.10	Armament	PhysicalOther	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.11	Automatic Ammunition Handling	PhysicalOther	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.12	Navigation and Remote Piloting	Electronics	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.13	Special Equipment	Other	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.14	Communications	Electronics	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.1.15	CAV Software Release	S/W	Quantity	Quantity	Per Vehicle	
1.1.1.16	Other CAV Subsystems	Other	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.3	Equipment Kits	Other	Quantity Next Higher Assembly	Quantity	Per Vehicle	
1.1.3	Equipment Kits	Other	Length	Inches	Per Kit	Y
1.1.3	Equipment Kits	Other	Cable Length	Inches	Per Kit	Y
1.1.3	Equipment Kits	Other	Width	Inches	Per Kit	Y
1.1.3	Equipment Kits	Other	Height	Inches	Per Kit	Y
1.1.3	Equipment Kits	Other	Weight	Pounds	Per Kit	Y
1.1.3	Equipment Kits	Other	Capacity	Pounds	Per Kit	Y

## Cerberus SRDR-Dev Requirements

COST AND SOFTWARE DATA REPORTING PLAN - SRDR DEVELOPMENT				
<b>19. RELEASES</b>				
a. ID	b. NAME	c. DATE		
1	CAV Software Release 1	20230930		
2...n	CAV Software Release 2...n (Specify)			
n + 1	Training Software Release 1	20230930		
<b>20. CSCI'S</b>				
a. ID	b. NAME			
C1	Sensor Processing			
C2	Autonomous Navigation			
C3	Vehicle Control			
C4	Vehicle Simulator			
C5	Other Training Software CSCI			
<b>21. PRODUCT SIZE REPORTING ELEMENTS</b>				
a. CODE	b. NAME	c. RELEASE ID	d. CSCI ID	
1.1.1.15.1	Sensor Processing	1	C1	
1.1.1.15.2	Autonomous Navigation	1	C2	
1.1.1.15.3	Vehicle Control	1	C3	
1.6.4.1	Vehicle Simulator	n + 1	C4	
1.6.4.2	Other Training Software CSCI	n + 1	C5	
<b>22. PRODUCT SIZE SUBMISSIONS</b>				
		c. RELEASE ID:		
a. NUMBER	b. NAME	1	2...n	n + 1
3	Contract Award	Included?	Included?	Included?
6	Annual Submission 1	X		X
7	EMD Phase Complete	X	X	X
12	Annual Submission 2		X	
16	Annual Submission 3 / Contract Complete	X	X	X

# {reviewcsdr} R Package

OSD CAPE



- The R package is passed CSDR submissions by the user via a single function call (i.e., very easy to run even with limited R knowledge).
- The package automatically utilizes the build-in validation-config, runs all included tests, and exports a validation report to Excel and standard plots to PowerPoint.

**Requires limited knowledge of R to use.  
Additionally tests and plots may be added over time.**